

XENON WALL LIGHT

Magic Lite Ltd. presents
Xenon Wall Light

Xenon Wall Light (XWL) utilizes the same 18 watt xenon lamp technology as our highly successful Xenon product group.

Both the cover and the can of the Xenon Wall Light are constructed of die cast aluminum for corrosion protection and strength. The XWL is suitable for both interior and exterior applications and comes complete with a 12 volt transformer and housing for easy installation.

There are three decorative covers to choose from: Louvre, Scoop or Prism. Each cover is available in White, Black, Brushed Aluminum or Bronze.


Xenon Wall Light by Magic Lite Ltd. provides a safe, attractive and affordable way to light interior and exterior steps, aisles, halls, paths, patios and entrance ways.



Xenon Bulb

- Burns significantly cooler than halogen
- Brighter than fluorescent
- Four times the lamp life, at half the replacement cost of 120 V halogen
- No harmful UV rays
- Safe low pressure bulbs
- Dimmable
- cUL listed for wet and IC locations

Diecast aluminum cover and can
Corrosion resistant, suitable for concrete pour



XENON WALL LIGHT *provides a safe, attractive and affordable way to light steps, aisles, halls and entrance ways.*



Scoop Cover: White, Black, Bronze, Aluminum
Cover: 6.375"W x 1.5"D
Can with surface mounting tabs: 6.25"W x 3"D
Can with surface mounting tabs removed: 4.875"W x 3"D



Prism Cover: White, Black, Bronze, Aluminum
Cover: 6.375"W x 0.625"D
Can with surface mounting tabs: 6.25"W x 3"D
Can with surface mounting tabs removed: 4.875"W x 3"D




Louvre Cover: White, Black, Bronze, Aluminum
Cover: 6.375"W x 0.750"D
Can with surface mounting tabs: 6.25"W x 3"D
Can with surface mounting tabs removed: 4.875"W x 3"D

Why Choose Xenon Wall Lighting?

- ✓ Safety - burns significantly cooler than halogen
- ✓ Low pressure lamps are safer than halogen
- ✓ No problem to touch bulb when re-lamping
- ✓ Easy to re-lamp
- ✓ Long Life – 10,000 hours
- ✓ No harmful UV rays from lamp
- ✓ Fast and easy installation
- ✓ cUL listed for wet locations!
- ✓ Die cast aluminum construction suitable for concrete pour
- ✓ 120 volt push in connectors provided for ease of power input
- ✓ Bulb replacement has low voltage safety (12 volt class 2 transformer in each fixture)

Applications

Interior stairs • Exterior stairs • Aisles
Hallways • Paths • Emergency lighting
Theatres • Public areas • Patios • Decks
– anywhere that requires security or safety lighting in an aesthetically pleasing manner!



Floor Photometrics

GRID LOCATION:	A	A1	A2	B	B1	B2	C	C1	C2	D	D1	D2
ILLUMINANCE IN FOOTCANDLES:												
Surface Mount	0	0	0	11.2	3.0	0.5	4.4	0.7	1.6	1.6	1.1	0.5
Recessed	0	0	0	9.8	3.2	0.6	3.4	2.0	0.7	1.3	1.0	0.5

